


V1372H-AL1

- DID 49" 55"
- 3D
- RC
- H2S
-
-
-
-
-
- SS
- SD
- USB
-
-



V1372H-AL1

500MHZ

/


DID-FHD LED

V1372H-49P-AL1	49	
	3.5MM	500cd/m ²
V1372H-55P-AL1	55	
	3.5MM	500cd/m ²
V1372H-55G-AL1	55	
	3.5MM	700cd/m ²

V1372H-49



V1372H-55:





		V1372H-49P-AL1
		3.5mm
		×
		49"
		16:9
		1920x1080 10Bit
		1073.8(H)x604.0(V)
		1.07 Billion
		DID FHD-LED
		500m ²
		4000:1
		5ms
		178°
		57.3-70KHz
		60Hz
		PAL/NTSC
	CVBS(AV) /	1 1Vp-p 75 BNCx2
	VGA	1 1920× 1080 (60Hz)
	HDMI	1 1920× 1080P
	DVI	1 1920× 1080P
	USB	1 USB2.0
		RS485 \
		AC100 240V 50/60Hz
		110W
		50W
		0 50
		10 90
		-20 60
		5 90
		/ /
		/
	(W× H)	W1077.6mm× H607.8mm
		200mm 400mm
		19kg



		V1372H-55G-AL1	V1372H-55P-AL1
		3.5mm	
		×	
		55"	
		16:9	
		1920x1080 8Bit	
		1209.6(H)x680.4(V)	
		1.06 Billion	
		DID FHD-LED	
		700cd/m ²	500cd/m ²
		4000:1	4500:1
		5ms	
		178°	
		65-70KHz	
		60Hz	
			PAL/NTSC
CVBS(AV) /		1	1Vp-p 75 BNCx2
VGA		1	1920× 1080 (60Hz)
HDMI		1	1920× 1080P
DVI		1	1920× 1080P
USB		1	USB2.0
		RS485 \	
		AC100 240V,50/60Hz	
		180W	110W
	90W	50W	
		0 50	
		10 90	
		5000	
		-20 60	
		5 90	
		/ /	
		/	
	(W× H)	1213.4mm x 684.2mm	
		200mm	400mm
		24kg	